

令和 7年 6月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	22.6	17.7	7.9	7.76							
2	曇	23.5	17.4	7.6	7.76							
3	雨	17.9	17.5	7.4	7.80							
4	曇	22.9	17.2	8.2	7.74							
5	晴	26.3	17.5	7.0	7.76	34.8	39.4	89	3.3	0.20	<0.02	
6	晴	25.1	17.6	7.0	7.83							
7	曇	24.9	18.3	6.8	7.76							
8	曇	23.6	18.5	7.7	7.82							
9	曇	20.4	18.0	6.3	7.85							
10	雨	19.8	17.7	5.6	7.85							
11	雨	22.6	17.8	4.6	7.98							
12	曇	23.3	18.1	32.8	7.72							
13	晴	25.6	18.0	162.0	7.76							
14	雨	22.0	18.6	277.0	7.70							
15	雨	24.1	18.0	217.0	7.77							
16	曇	27.5	18.0	146.4	7.78							
17	晴	32.8	18.3	114.9	7.82							
18	晴	30.9	18.5	149.1	7.73							
19	晴	31.2	19.1	176.6	7.75	34.7	42.1	192	2.2	4.30	0.12	
20	曇	26.2	19.4	178.0	7.80							
21	晴	29.4	20.0	129.5	7.79							
22	曇	26.0	20.8	123.0	7.80							
23	曇	28.5	20.0	126.0	7.83							
24	雨	25.2	19.7	95.5	7.74							
25	曇	30.5	20.1	70.7	7.78							
26	曇	28.6	20.6	55.1	7.75							
27	晴	26.8	20.6	47.5	7.80							
28	晴	27.8	21.7	40.8	7.77							
29	晴	31.1	21.0	36.7	7.78							
30	晴	28.5	21.0	34.5	7.82							
平均		25.9	18.9	76.3	7.79	34.8	40.8	140	2.8	2.25	0.06	
最高		32.8	21.7	277.0	7.98	34.8	42.1	192	3.3	4.30	0.12	
最低		17.9	17.2	4.6	7.70	34.7	39.4	89	2.2	0.20	<0.02	

令和 7年 6月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	22.6	19.4	0.3	7.38							
2	曇	23.5	19.1	0.4	7.41							
3	雨	17.9	19.1	0.4	7.42							
4	曇	22.9	19.1	0.5	7.33							
5	晴	26.3	19.1	0.6	7.34	30.6	38.7	86	6.1	0.06	<0.02	
6	晴	25.1	19.1	0.5	7.38							
7	曇	24.9	20.3	0.5	7.37							
8	曇	23.6	20.5	0.8	7.40							
9	曇	20.4	20.1	0.4	7.43							
10	雨	19.8	19.8	0.3	7.43							
11	雨	22.6	19.7	0.2	7.54							
12	曇	23.3	19.7	0.4	7.28							
13	晴	25.6	20.0	0.6	7.26							
14	雨	22.0	20.9	0.7	7.01							
15	雨	24.1	20.5	0.5	7.04							
16	曇	27.5	20.4	0.7	7.03							
17	晴	32.8	20.6	1.0	7.02							
18	晴	30.9	21.4	0.9	7.08							
19	晴	31.2	21.7	1.1	7.04	28.3	39.6	49	7.8	0.07	<0.02	
20	曇	26.2	22.1	1.1	7.07							
21	晴	29.4	22.5	1.0	7.10							
22	曇	26.0	23.5	0.6	7.13							
23	曇	28.5	22.5	0.5	7.17							
24	雨	25.2	22.2	1.4	7.09							
25	曇	30.5	22.1	1.2	7.16							
26	曇	28.6	22.7	0.8	7.14							
27	晴	26.8	22.6	0.8	7.18							
28	晴	27.8	24.0	0.9	7.19							
29	晴	31.1	23.0	1.1	7.32							
30	晴	28.5	23.5	1.0	7.29							
平均		25.9	21.0	0.7	7.23	29.4	39.2	68	7.0	0.06	<0.02	
最高		32.8	24.0	1.4	7.54	30.6	39.6	86	7.8	0.07	<0.02	
最低		17.9	19.1	0.2	7.01	28.3	38.7	49	6.1	0.06	<0.02	