

令和4年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	曇	10.6	15.3	27.1	7.62	—	—	—	—	—	—	
2	晴	7.8	15.0	10.1	7.54	—	—	—	—	—	—	
3	曇	10.0	13.4	5.6	7.69	—	—	—	—	—	—	
4	晴	12.5	12.8	4.4	7.70	—	—	—	—	—	—	
5	曇	11.5	14.2	2.6	7.69	—	—	—	—	—	—	
6	晴	10.5	14.1	2.2	7.66	38.4	40.0	57	5.0	0.18	<0.02	
7	晴	7.5	13.9	2.1	7.71	—	—	—	—	—	—	
8	晴	9.0	13.7	2.4	7.74	—	—	—	—	—	—	
9	晴	7.8	13.5	2.2	7.71	—	—	—	—	—	—	
10	晴	13.0	12.4	3.9	7.69	—	—	—	—	—	—	
11	晴	13.0	12.5	3.7	7.66	—	—	—	—	—	—	
12	晴	8.9	13.2	2.6	7.70	—	—	—	—	—	—	
13	曇	10.3	13.2	4.2	7.70	—	—	—	—	—	—	
14	晴	10.7	12.9	4.3	7.66	—	—	—	—	—	—	
15	晴	3.8	12.4	2.6	7.65	—	—	—	—	—	—	
16	晴	4.8	12.3	2.2	7.70	—	—	—	—	—	—	
17	曇	5.5	10.8	6.5	7.69	—	—	—	—	—	—	
18	晴	5.0	10.4	6.5	7.68	—	—	—	—	—	—	
19	晴	0.3	11.2	2.4	7.63	—	—	—	—	—	—	
20	晴	3.0	11.0	2.3	7.63	38.8	42.9	91	5.7	0.33	0.03	
21	晴	2.3	10.9	2.4	7.65	—	—	—	—	—	—	
22	雨	11.1	11.3	2.2	7.66	—	—	—	—	—	—	
23	晴	1.2	10.9	2.3	7.70	—	—	—	—	—	—	
24	晴	3.5	9.3	4.2	7.68	—	—	—	—	—	—	
25	晴	8.0	9.3	3.1	7.70	—	—	—	—	—	—	
26	晴	4.4	10.2	2.2	7.71	—	—	—	—	—	—	
27	晴	4.4	10.4	2.2	7.69	—	—	—	—	—	—	
28	晴	3.3	10.2	2.4	7.65	—	—	—	—	—	—	
29	晴	7.5	10.0	4.3	7.67	—	—	—	—	—	—	
30	晴	5.0	9.9	2.5	7.70	—	—	—	—	—	—	
31	晴	8.0	8.7	4.7	7.77	—	—	—	—	—	—	
平均		7.2	11.9	4.3	7.68	38.6	41.4	74	5.4	0.26	<0.02	
最高		13.0	15.3	27.1	7.77	38.8	42.9	91	5.7	0.33	0.03	
最低		0.3	8.7	2.1	7.54	38.4	40.0	57	5.0	0.18	<0.02	

令和4年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	曇	10.6	16.5	0.3	7.40	—	—	—	—	—	—	
2	晴	7.8	16.2	0.3	7.29	—	—	—	—	—	—	
3	曇	10.0	15.7	0.5	7.32	—	—	—	—	—	—	
4	晴	12.5	15.5	0.6	7.40	—	—	—	—	—	—	
5	曇	11.5	15.3	0.4	7.44	—	—	—	—	—	—	
6	晴	10.5	15.3	0.1	7.43	36.0	40.0	35	7.3	<0.03	<0.02	
7	晴	7.5	15.0	0.3	7.56	—	—	—	—	—	—	
8	晴	9.0	14.8	0.4	7.56	—	—	—	—	—	—	
9	晴	7.8	14.7	0.2	7.54	—	—	—	—	—	—	
10	晴	13.0	14.6	0.4	7.53	—	—	—	—	—	—	
11	晴	13.0	14.7	0.2	7.52	—	—	—	—	—	—	
12	晴	8.9	14.6	0.2	7.54	—	—	—	—	—	—	
13	曇	10.3	14.4	0.2	7.55	—	—	—	—	—	—	
14	晴	10.7	14.3	0.4	7.42	—	—	—	—	—	—	
15	晴	3.8	13.7	0.5	7.46	—	—	—	—	—	—	
16	晴	4.8	13.3	0.6	7.49	—	—	—	—	—	—	
17	曇	5.5	13.2	0.4	7.48	—	—	—	—	—	—	
18	晴	5.0	12.9	0.4	7.48	—	—	—	—	—	—	
19	晴	0.3	12.4	0.2	7.48	—	—	—	—	—	—	
20	晴	3.0	12.2	0.4	7.45	36.9	42.7	73	7.4	<0.03	<0.02	
21	晴	2.3	12.0	0.4	7.44	—	—	—	—	—	—	
22	雨	11.1	12.5	0.4	7.45	—	—	—	—	—	—	
23	晴	1.2	12.2	0.3	7.43	—	—	—	—	—	—	
24	晴	3.5	11.9	0.4	7.42	—	—	—	—	—	—	
25	晴	8.0	11.5	0.2	7.51	—	—	—	—	—	—	
26	晴	4.4	11.4	0.1	7.54	—	—	—	—	—	—	
27	晴	4.4	11.2	0.2	7.53	—	—	—	—	—	—	
28	晴	3.3	11.1	0.0	7.48	—	—	—	—	—	—	
29	晴	7.5	11.2	0.2	7.51	—	—	—	—	—	—	
30	晴	5.0	11.1	0.3	7.53	—	—	—	—	—	—	
31	晴	8.0	10.9	0.2	7.49	—	—	—	—	—	—	
平均		7.2	13.4	0.3	7.47	36.4	41.4	54	7.4	<0.03	<0.02	
最高		13.0	16.5	0.6	7.56	36.9	42.7	73	7.4	<0.03	<0.02	
最低		0.3	10.9	0.0	7.29	36.0	40.0	35	7.3	<0.03	<0.02	