

令和6年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	雨	25.5	21.5	193.7	7.74	—	—	—	—	—	—	
2	晴	26.0	21.6	155.6	7.77	36.0	38.0	157	2.1	5.80	0.15	
3	曇	27.5	21.5	133.8	7.79	—	—	—	—	—	—	
4	晴	30.1	21.8	136.6	7.75	—	—	—	—	—	—	
5	晴	30.8	21.9	131.6	7.78	—	—	—	—	—	—	
6	晴	31.5	22.2	106.3	7.75	—	—	—	—	—	—	
7	晴	30.0	22.4	77.1	7.77	—	—	—	—	—	—	
8	晴	31.9	22.8	69.2	7.75	—	—	—	—	—	—	
9	曇	31.2	23.0	49.5	7.73	—	—	—	—	—	—	
10	晴	30.6	23.1	46.7	7.76	—	—	—	—	—	—	
11	曇	26.8	23.1	35.2	7.74	—	—	—	—	—	—	
12	雨	24.8	23.0	26.0	7.71	—	—	—	—	—	—	
13	曇	28.0	22.8	59.0	7.68	—	—	—	—	—	—	
14	曇	27.2	22.8	24.5	7.68	—	—	—	—	—	—	
15	晴	28.8	23.0	18.9	7.71	—	—	—	—	—	—	
16	雨	25.5	23.1	15.8	7.67	—	—	—	—	—	—	
17	晴	28.3	23.0	29.4	7.68	—	—	—	—	—	—	
18	晴	27.8	23.1	23.5	7.69	—	—	—	—	—	—	
19	曇	28.8	23.3	16.3	7.68	—	—	—	—	—	—	
20	晴	32.4	23.5	23.5	7.68	—	—	—	—	—	—	
21	晴	32.3	23.6	22.2	7.65	—	—	—	—	—	—	
22	晴	32.1	23.8	20.4	7.67	—	—	—	—	—	—	
23	晴	30.4	24.4	16.5	7.62	32.6	33.0	68	2.8	0.76	0.03	
24	晴	30.6	24.6	15.3	7.65	—	—	—	—	—	—	
25	晴	30.7	24.7	13.6	7.66	—	—	—	—	—	—	
26	晴	29.6	24.7	12.6	7.70	—	—	—	—	—	—	
27	晴	32.3	25.0	11.8	7.70	—	—	—	—	—	—	
28	晴	33.4	25.3	9.8	7.69	—	—	—	—	—	—	
29	晴	32.8	25.3	8.7	7.73	—	—	—	—	—	—	
30	晴	32.5	25.5	7.3	7.71	—	—	—	—	—	—	
31	晴	31.7	25.7	6.0	7.70	—	—	—	—	—	—	
平均		29.7	23.4	48.9	7.71	34.3	35.5	112	2.4	3.28	0.09	
最高		33.4	25.7	193.7	7.79	36.0	38.0	157	2.8	5.80	0.15	
最低		24.8	21.5	6.0	7.62	32.6	33.0	68	2.1	0.76	0.03	

令和6年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	雨	25.5	22.9	0.1	7.27	—	—	—	—	—	—	
2	晴	26.0	22.8	0.4	7.31	29.2	35.5	35	8.2	0.03	<0.02	
3	曇	27.5	22.8	0.4	7.34	—	—	—	—	—	—	
4	晴	30.1	23.1	0.3	7.35	—	—	—	—	—	—	
5	晴	30.8	23.3	0.3	7.35	—	—	—	—	—	—	
6	晴	31.5	23.6	0.3	7.38	—	—	—	—	—	—	
7	晴	30.0	23.8	0.3	7.34	—	—	—	—	—	—	
8	晴	31.9	24.1	0.2	7.38	—	—	—	—	—	—	
9	曇	31.2	24.2	0.4	7.33	—	—	—	—	—	—	
10	晴	30.6	24.2	0.3	7.40	—	—	—	—	—	—	
11	曇	26.8	24.3	0.1	7.40	—	—	—	—	—	—	
12	雨	24.8	24.1	0.3	7.41	—	—	—	—	—	—	
13	曇	28.0	23.8	0.3	7.43	—	—	—	—	—	—	
14	曇	27.2	24.0	0.2	7.38	—	—	—	—	—	—	
15	晴	28.8	24.2	0.2	7.42	—	—	—	—	—	—	
16	雨	25.5	24.3	0.2	7.42	—	—	—	—	—	—	
17	晴	28.3	24.3	0.2	7.44	—	—	—	—	—	—	
18	晴	27.8	24.5	0.2	7.41	—	—	—	—	—	—	
19	曇	28.8	24.6	0.2	7.39	—	—	—	—	—	—	
20	晴	32.4	24.8	0.2	7.45	—	—	—	—	—	—	
21	晴	32.3	24.9	0.2	7.42	—	—	—	—	—	—	
22	晴	32.1	25.1	0.3	7.44	—	—	—	—	—	—	
23	晴	30.4	25.3	0.2	7.39	29.3	34.2	52	6.5	<0.03	<0.02	
24	晴	30.6	25.6	0.3	7.40	—	—	—	—	—	—	
25	晴	30.7	25.7	0.1	7.41	—	—	—	—	—	—	
26	晴	29.6	25.8	0.2	7.46	—	—	—	—	—	—	
27	晴	32.3	26.0	0.2	7.48	—	—	—	—	—	—	
28	晴	33.4	26.2	0.2	7.44	—	—	—	—	—	—	
29	晴	32.8	26.4	0.1	7.52	—	—	—	—	—	—	
30	晴	32.5	26.4	0.2	7.46	—	—	—	—	—	—	
31	晴	31.7	26.6	0.2	7.45	—	—	—	—	—	—	
平均		29.7	24.6	0.2	7.40	29.2	34.8	44	7.4	<0.03	<0.02	
最高		33.4	26.6	0.4	7.52	29.3	35.5	52	8.2	0.03	<0.02	
最低		24.8	22.8	0.1	7.27	29.2	34.2	35	6.5	<0.03	<0.02	