

令和7年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	雨	7.6	12.5	4.3	7.61	—	—	—	—	—	—	
2	曇	14.0	12.5	3.8	7.60	35.4	40.3	83	6.3	0.22	0.03	
3	雨	11.5	12.7	4.4	7.65	—	—	—	—	—	—	
4	晴	10.2	12.6	3.7	7.63	—	—	—	—	—	—	
5	曇	14.1	12.6	4.0	7.66	—	—	—	—	—	—	
6	雨	11.0	12.7	3.9	7.61	—	—	—	—	—	—	
7	晴	13.5	12.8	3.8	7.61	—	—	—	—	—	—	
8	晴	12.0	12.9	3.8	7.60	—	—	—	—	—	—	
9	晴	13.3	13.2	3.5	7.61	—	—	—	—	—	—	
10	晴	17.3	13.6	3.5	7.62	—	—	—	—	—	—	
11	曇	15.5	13.8	3.7	7.61	—	—	—	—	—	—	
12	晴	14.8	13.8	3.2	7.61	—	—	—	—	—	—	
13	雨	14.0	14.1	2.4	7.59	—	—	—	—	—	—	
14	晴	14.0	14.3	3.1	7.62	—	—	—	—	—	—	
15	曇	13.8	14.3	4.3	7.59	32.8	38.6	67	5.6	0.22	0.03	
16	晴	10.8	13.9	3.8	7.61	—	—	—	—	—	—	
17	晴	17.9	14.1	3.1	7.56	—	—	—	—	—	—	
18	曇	18.1	14.5	3.2	7.60	—	—	—	—	—	—	
19	晴	21.0	14.6	3.3	7.64	—	—	—	—	—	—	
20	曇	20.8	15.1	3.3	7.60	—	—	—	—	—	—	
21	晴	18.3	15.4	3.4	7.64	—	—	—	—	—	—	
22	曇	19.4	15.7	6.5	7.69	—	—	—	—	—	—	
23	雨	18.0	15.7	5.4	7.65	—	—	—	—	—	—	
24	曇	20.5	16.0	5.4	7.57	—	—	—	—	—	—	
25	曇	17.7	15.5	4.4	7.54	—	—	—	—	—	—	
26	晴	16.8	15.5	4.6	7.59	—	—	—	—	—	—	
27	晴	17.0	15.7	4.6	7.63	—	—	—	—	—	—	
28	曇	18.4	16.1	4.4	7.62	—	—	—	—	—	—	
29	晴	15.0	16.0	5.1	7.64	—	—	—	—	—	—	
30	晴	14.8	16.0	4.5	7.66	—	—	—	—	—	—	
平均		15.4	14.3	4.0	7.62	34.1	39.4	75	6.0	0.22	0.03	
最高		21.0	16.1	6.5	7.69	35.4	40.3	83	6.3	0.22	0.03	
最低		7.6	12.5	2.4	7.54	32.8	38.6	67	5.6	0.22	0.03	

令和7年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	雨	7.6	13.6	0.4	7.45	—	—	—	—	—	—	
2	曇	14.0	13.6	0.2	7.38	32.8	39.7	76	10.6	0.04	<0.02	
3	雨	11.5	13.8	0.4	7.43	—	—	—	—	—	—	
4	晴	10.2	13.8	0.2	7.43	—	—	—	—	—	—	
5	曇	14.1	14.0	0.4	7.48	—	—	—	—	—	—	
6	雨	11.0	14.0	0.3	7.43	—	—	—	—	—	—	
7	晴	13.5	14.1	0.2	7.40	—	—	—	—	—	—	
8	晴	12.0	14.1	0.3	7.45	—	—	—	—	—	—	
9	晴	13.3	14.4	0.4	7.46	—	—	—	—	—	—	
10	晴	17.3	14.8	0.2	7.45	—	—	—	—	—	—	
11	曇	15.5	14.8	0.4	7.43	—	—	—	—	—	—	
12	晴	14.8	15.0	0.4	7.40	—	—	—	—	—	—	
13	雨	14.0	15.1	0.3	7.41	—	—	—	—	—	—	
14	晴	14.0	15.1	0.4	7.44	—	—	—	—	—	—	
15	曇	13.8	15.3	0.3	7.40	30.1	38.6	74	9.0	<0.03	<0.02	
16	晴	10.8	15.0	0.2	7.43	—	—	—	—	—	—	
17	晴	17.9	15.1	0.2	7.43	—	—	—	—	—	—	
18	曇	18.1	15.6	0.3	7.42	—	—	—	—	—	—	
19	晴	21.0	15.9	0.2	7.45	—	—	—	—	—	—	
20	曇	20.8	16.3	0.2	7.40	—	—	—	—	—	—	
21	晴	18.3	16.6	0.4	7.45	—	—	—	—	—	—	
22	曇	19.4	16.7	0.3	7.42	—	—	—	—	—	—	
23	雨	18.0	16.8	0.4	7.41	—	—	—	—	—	—	
24	曇	20.5	17.0	0.4	7.37	—	—	—	—	—	—	
25	曇	17.7	16.7	0.3	7.34	—	—	—	—	—	—	
26	晴	16.8	16.4	0.3	7.36	—	—	—	—	—	—	
27	晴	17.0	16.6	0.3	7.41	—	—	—	—	—	—	
28	曇	18.4	16.8	0.3	7.41	—	—	—	—	—	—	
29	晴	15.0	16.8	0.3	7.42	—	—	—	—	—	—	
30	晴	14.8	16.9	0.2	7.47	—	—	—	—	—	—	
平均		15.4	15.4	0.3	7.42	31.4	39.2	75	9.8	<0.03	<0.02	
最高		21.0	17.0	0.4	7.48	32.8	39.7	76	10.6	0.04	<0.02	
最低		7.6	13.6	0.2	7.34	30.1	38.6	74	9.0	<0.03	<0.02	