

令和7年6月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	21.0	19.0	6.1	7.48	—	—	—	—	—	—	
2	晴	23.8	19.3	5.6	7.51	—	—	—	—	—	—	
3	雨	17.9	19.3	5.8	7.51	33.2	37.0	88	3.4	0.27	0.02	
4	晴	22.3	19.3	6.1	7.54	—	—	—	—	—	—	
5	晴	22.3	19.4	6.8	7.51	—	—	—	—	—	—	
6	晴	23.0	19.6	6.5	7.55	—	—	—	—	—	—	
7	曇	24.0	19.8	5.4	7.54	—	—	—	—	—	—	
8	曇	24.6	20.1	5.1	7.56	—	—	—	—	—	—	
9	曇	21.7	20.0	4.3	7.56	—	—	—	—	—	—	
10	雨	20.0	19.8	5.1	7.57	—	—	—	—	—	—	
11	雨	22.6	20.1	13.9	7.56	—	—	—	—	—	—	
12	曇	22.5	19.9	39.0	7.61	—	—	—	—	—	—	
13	晴	24.5	19.8	114.3	7.57	—	—	—	—	—	—	
14	雨	22.8	19.8	176.8	7.64	—	—	—	—	—	—	
15	曇	24.2	20.3	199.5	7.64	—	—	—	—	—	—	
16	曇	26.3	20.3	113.4	7.62	—	—	—	—	—	—	
17	晴	30.5	20.6	75.0	7.64	33.6	36.3	184	2.6	3.70	0.12	
18	晴	28.3	21.1	84.2	7.63	—	—	—	—	—	—	
19	晴	27.1	21.5	82.6	7.64	—	—	—	—	—	—	
20	晴	28.0	21.7	87.7	7.66	—	—	—	—	—	—	
21	晴	26.4	21.8	74.1	7.68	—	—	—	—	—	—	
22	晴	27.8	22.1	71.8	7.66	—	—	—	—	—	—	
23	曇	28.3	22.3	59.5	7.65	—	—	—	—	—	—	
24	雨	24.1	22.1	44.8	7.63	—	—	—	—	—	—	
25	晴	29.0	22.3	40.0	7.63	—	—	—	—	—	—	
26	晴	28.3	22.8	29.7	7.65	—	—	—	—	—	—	
27	晴	25.1	22.8	27.0	7.66	—	—	—	—	—	—	
28	晴	29.1	23.0	24.1	7.68	—	—	—	—	—	—	
29	晴	28.8	23.1	21.0	7.65	—	—	—	—	—	—	
30	晴	27.6	23.3	17.7	7.61	—	—	—	—	—	—	
平均		25.1	20.9	48.4	7.60	33.4	36.6	136	3.0	1.98	0.07	
最高		30.5	23.3	199.5	7.68	33.6	37.0	184	3.4	3.70	0.12	
最低		17.9	19.0	4.3	7.48	33.2	36.3	88	2.6	0.27	0.02	

令和7年6月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	晴	21.0	19.8	0.3	7.36	—	—	—	—	—	—	
2	晴	23.8	20.1	0.2	7.35	—	—	—	—	—	—	
3	雨	17.9	20.1	0.2	7.33	30.4	37.0	80	7.9	<0.03	<0.02	
4	晴	22.3	20.1	0.2	7.35	—	—	—	—	—	—	
5	晴	22.3	20.2	0.3	7.32	—	—	—	—	—	—	
6	晴	23.0	20.5	0.4	7.40	—	—	—	—	—	—	
7	曇	24.0	20.8	0.2	7.36	—	—	—	—	—	—	
8	曇	24.6	21.0	0.2	7.39	—	—	—	—	—	—	
9	曇	21.7	20.9	0.2	7.39	—	—	—	—	—	—	
10	雨	20.0	20.7	0.2	7.41	—	—	—	—	—	—	
11	雨	22.6	20.9	0.2	7.37	—	—	—	—	—	—	
12	曇	22.5	20.8	0.3	7.37	—	—	—	—	—	—	
13	晴	24.5	20.9	0.3	7.32	—	—	—	—	—	—	
14	雨	22.8	21.0	0.4	7.30	—	—	—	—	—	—	
15	曇	24.2	21.1	0.4	7.28	—	—	—	—	—	—	
16	曇	26.3	21.1	0.3	7.27	—	—	—	—	—	—	
17	晴	30.5	21.6	0.3	7.25	27.7	34.5	68	8.5	0.05	<0.02	
18	晴	28.3	22.1	0.4	7.24	—	—	—	—	—	—	
19	晴	27.1	22.5	0.4	7.24	—	—	—	—	—	—	
20	晴	28.0	22.7	0.5	7.24	—	—	—	—	—	—	
21	晴	26.4	22.8	0.4	7.28	—	—	—	—	—	—	
22	晴	27.8	22.9	0.6	7.30	—	—	—	—	—	—	
23	曇	28.3	23.1	0.4	7.30	—	—	—	—	—	—	
24	雨	24.1	23.1	0.5	7.30	—	—	—	—	—	—	
25	晴	29.0	23.1	0.5	7.30	—	—	—	—	—	—	
26	晴	28.3	23.5	0.5	7.31	—	—	—	—	—	—	
27	晴	25.1	23.5	0.5	7.35	—	—	—	—	—	—	
28	晴	29.1	23.6	0.5	7.38	—	—	—	—	—	—	
29	晴	28.8	23.8	0.6	7.40	—	—	—	—	—	—	
30	晴	27.6	24.1	0.5	7.41	—	—	—	—	—	—	
平均		25.1	21.7	0.4	7.33	29.0	35.8	74	8.2	<0.03	<0.02	
最高		30.5	24.1	0.6	7.41	30.4	37.0	80	8.5	0.05	<0.02	
最低		17.9	19.8	0.2	7.24	27.7	34.5	68	7.9	<0.03	<0.02	