

令和7年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	曇	28.9	23.6	16.4	7.63	34.5	37.3	94	2.8	0.77	0.03	
2	曇	28.6	23.7	12.9	7.62	—	—	—	—	—	—	
3	曇	29.3	23.8	11.2	7.55	—	—	—	—	—	—	
4	曇	28.9	23.8	10.0	7.58	—	—	—	—	—	—	
5	晴	31.4	24.0	11.2	7.62	—	—	—	—	—	—	
6	晴	32.0	24.2	9.6	7.64	—	—	—	—	—	—	
7	曇	30.0	24.5	7.9	7.62	—	—	—	—	—	—	
8	曇	30.2	24.6	6.8	7.62	—	—	—	—	—	—	
9	晴	30.3	24.6	6.7	7.64	—	—	—	—	—	—	
10	晴	29.3	24.9	6.5	7.65	—	—	—	—	—	—	
11	晴	27.5	25.1	5.1	7.65	—	—	—	—	—	—	
12	曇	29.0	25.1	5.8	7.67	—	—	—	—	—	—	
13	晴	29.7	25.1	4.5	7.67	—	—	—	—	—	—	
14	晴	29.1	25.3	4.7	7.65	—	—	—	—	—	—	
15	雨	26.5	25.4	5.9	7.67	38.2	42.0	78	4.3	0.31	0.02	
16	曇	26.6	24.7	69.1	7.60	—	—	—	—	—	—	
17	曇	27.0	24.9	37.4	7.60	—	—	—	—	—	—	
18	曇	26.4	24.4	38.5	7.59	—	—	—	—	—	—	
19	晴	28.7	24.3	32.4	7.60	—	—	—	—	—	—	
20	晴	29.4	24.4	25.9	7.60	—	—	—	—	—	—	
21	晴	29.7	24.6	21.9	7.59	—	—	—	—	—	—	
22	晴	29.5	25.0	17.5	7.61	—	—	—	—	—	—	
23	曇	29.6	25.0	15.2	7.55	—	—	—	—	—	—	
24	晴	29.3	25.1	11.0	7.55	—	—	—	—	—	—	
25	晴	29.0	25.4	10.5	7.57	—	—	—	—	—	—	
26	晴	29.7	25.7	8.7	7.63	—	—	—	—	—	—	
27	晴	30.1	25.7	7.0	7.62	—	—	—	—	—	—	
28	晴	29.7	26.0	5.9	7.60	—	—	—	—	—	—	
29	晴	29.6	26.1	5.2	7.61	—	—	—	—	—	—	
30	晴	29.8	26.3	4.5	7.61	—	—	—	—	—	—	
31	晴	30.0	26.5	4.5	7.63	—	—	—	—	—	—	
平均		29.2	24.9	14.2	7.61	36.4	39.6	86	3.6	0.54	0.02	
最高		32.0	26.5	69.1	7.67	38.2	42.0	94	4.3	0.77	0.03	
最低		26.4	23.6	4.5	7.55	34.5	37.3	78	2.8	0.31	0.02	

令和7年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	曇	28.9	24.3	0.5	7.33	31.7	37.3	76	8.6	0.04	0.02	
2	曇	28.6	24.4	0.6	7.34	—	—	—	—	—	—	
3	曇	29.3	24.5	0.6	7.34	—	—	—	—	—	—	
4	曇	28.9	24.6	0.4	7.38	—	—	—	—	—	—	
5	晴	31.4	24.8	0.6	7.41	—	—	—	—	—	—	
6	晴	32.0	24.9	0.8	7.44	—	—	—	—	—	—	
7	曇	30.0	25.1	0.6	7.43	—	—	—	—	—	—	
8	曇	30.2	25.3	0.8	7.43	—	—	—	—	—	—	
9	晴	30.3	25.5	0.7	7.44	—	—	—	—	—	—	
10	晴	29.3	25.5	0.7	7.46	—	—	—	—	—	—	
11	晴	27.5	25.6	0.7	7.48	—	—	—	—	—	—	
12	曇	29.0	25.6	0.7	7.51	—	—	—	—	—	—	
13	晴	29.7	25.6	0.8	7.53	—	—	—	—	—	—	
14	晴	29.1	25.8	0.7	7.47	—	—	—	—	—	—	
15	雨	26.5	26.0	0.7	7.50	35.3	42.4	66	6.9	0.04	0.04	
16	曇	26.6	25.8	0.7	7.45	—	—	—	—	—	—	
17	曇	27.0	25.6	0.6	7.36	—	—	—	—	—	—	
18	曇	26.4	25.3	0.7	7.29	—	—	—	—	—	—	
19	晴	28.7	25.2	0.6	7.32	—	—	—	—	—	—	
20	晴	29.4	25.3	0.6	7.33	—	—	—	—	—	—	
21	晴	29.7	25.6	0.7	7.35	—	—	—	—	—	—	
22	晴	29.5	25.8	0.5	7.39	—	—	—	—	—	—	
23	曇	29.6	25.9	0.5	7.34	—	—	—	—	—	—	
24	晴	29.3	25.9	0.5	7.35	—	—	—	—	—	—	
25	晴	29.0	26.1	0.5	7.36	—	—	—	—	—	—	
26	晴	29.7	26.3	0.6	7.41	—	—	—	—	—	—	
27	晴	30.1	26.5	0.4	7.42	—	—	—	—	—	—	
28	晴	29.7	26.7	0.4	7.41	—	—	—	—	—	—	
29	晴	29.6	26.8	0.4	7.43	—	—	—	—	—	—	
30	晴	29.8	26.9	0.4	7.44	—	—	—	—	—	—	
31	晴	30.0	27.0	0.5	7.45	—	—	—	—	—	—	
平均		29.2	25.6	0.6	7.41	33.5	39.8	71	7.8	0.04	0.03	
最高		32.0	27.0	0.8	7.53	35.3	42.4	76	8.6	0.04	0.04	
最低		26.4	24.3	0.4	7.29	31.7	37.3	66	6.9	0.04	0.02	